WEST Search History

Hide Items | Restore | Clear | Cancel |

DATE: Monday, May 24, 2004

Hide?	<u>Set</u> Name	Query	<u>Hit</u> <u>Count</u>
	DB=US	SPT, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	
	L8	L7	22
	L7	L6 and l5	22
	L6	=19991223	18587254
	L5	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma))	34
	L4	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 matrix\$)	13
	L3	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 metri\$3)	0
	L2	(observat\$4 near5 vector) same ((spread near2 spectrum) or (cdma))	5
	Ll	(observat\$4 near4 vector) same (cdma)	2

END OF SEARCH HISTORY

WEST Search History

Hide Items | Restore | Clear | Cancel |

DATE: Monday, May 24, 2004

Hide?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count
	DB=US	SPT, EPAB, JPAB, DWPI, TDBD; PLUR=YES; OP=OR	
	L4	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 matrix\$)	13
	L3	(observat\$4 near5 vector) and ((spread near2 spectrum) or (cdma)) and (observat\$4 near5 metri\$3)	0
	L2	(observat\$4 near5 vector) same ((spread near2 spectrum) or (cdma))	. 5
	L1	(observat\$4 near4 vector) same (cdma)	2

END OF SEARCH HISTORY

�IEEE IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE Publications/Services Standards Conferences IEEE Xolore Welcome 1 Million Documents **United States Patent and Trademark** 1 Million Users **RELEASE 1.7** Office ...And Growing D Search Results Ø Help FAQ <u>Terms</u> IEEE Quick Links Reer Review Welcome to IEEE Xplore Your search matched 2 of 1038994 documents. O- Home A maximum of **500** results are displayed, **15** to a page, sorted by O- What Can I Access? Relevance in Descending order. O- Log-out **Refine This Search: Tables of Contents** You may refine your search by editing the current search O- Journals & Magazines expression or entering a new one in the text box. O- Conference **Proceedings** Search O- Standards Check to search within this result set Search O- By Author Results Kev: O- Basic JNL = Journal or Magazine CNF = Conference STD = Standard O- Advanced Member Services 1 Maximum-likelihood synchronization of a single user for O- Establish IEEE code-division multiple-access communication systems Web Account Bensley, S.E.; Aazhang, B.; O- Access the Communications, IEEE Transactions on , Volume: 46 , Issue: 3 **IEEE Member** March 1998 Digital Library Pages: 392 - 399 A Print Format [Abstract] [PDF Full-Text (276 KB)] **IEEE JNL** 2 Root-MUSIC based joint identification and timing estimation of asynchronous CDMA system over Rayleigh fading channel Wei-Chiang Wu; Kwang-Cheng Chen; Vehicular Technology Conference, 1998. VTC 98. 48th IEEE , Volume: 2 , 18-21 May 1998 Pages:1239 - 1243 vol.2

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

IEEE CNF

[PDF Full-Text (444 KB)]

[Abstract]

MIFFF

IEEE HUME I SEARCI	HIEEE I SHOP I WEB ADDOOR! I CONTACT LEE	A :
Membership Public	cations/Services Standards Conferences Careers/Jobs	
IEEE,	XDIOIC® United States Patent and Trademark	E E Xpiore® Milion Document Milion Users Anni Growlag
Halo BAO Ham	Searel Quick Unks) Results
<u> Reer Review</u>		
O- Home O- What Can I Access? O- Log-out	Your search matched 0 of 1038994 documents. A maximum of 500 results are displayed, 15 to a page, sorted Relevance in Descending order.	d by
Journals & Magazines Conference Proceedings Standards	Refine This Search: You may refine your search by editing the current search expression or entering a new one in the text box. Search Check to search within this result set	·
O- By Author O- Basic O- Advanced	Results Key: JNL = Journal or Magazine CNF = Conference STD = Stand	dard
Member Services - Establish IEEE Web Account - Access the IEEE Member Digital Library	Results: No documents matched your query.	

A Print Format

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved

IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE

Request Permissions

RIGHTBLINK()

♦IEEE

Publications/Services Standards Conferences Careers/Jobs I EEE Xotore Welcome 1 Million Documents 1 Million Users **United States Patent and Trademark** RELEASE 1.7 OfficeAnd Growing D ABSTRAGT PLUS Quick Links Helo FAO Term IEEE:Peer Review

Search Results [PDF FULL-TEXT 276 KB] NEXT DOWNLOAD CITATION

Welcome to IEEE Xplore

- O- Home
- What Can I Access?
- ()- Log-out

Tables of Contents

- O- Journals & Magazines
- O- Conference Proceedings
- O- Standards

Search

- O- By Author
- O- Basic
- O- Advanced

Member Services

- O- Join IEEE
 O- Establish IEEE
 Web Account
- O- Access the IEEE Member Digital Library
- A Print Format

Maximum-likelihood synchronization of a single user for code-division multiple-access communication systems

Bensley, S.E. Aazhang, B.

Cabletron Syst., Rochester, NH, USA;

This paper appears in: Communications, IEEE Transactions on

Publication Date: March 1998

On page(s): 392 - 399 Volume: 46 , Issue: 3 ISSN: 0090-6778 Reference Cited: 31 CODEN: IECMBT

Inspec Accession Number: 5873684

Abstract:

Code-division multiple access (CDMA) has emerged as an access protocol well-suited for voice and data transmission. One significant limitation of the conventional CDMA system is the near-far problem where strong signals interfere with the detection of a weak signal. Multiuser detectors assume knowledge of all of the modulation waveforms and channel parameters, and exploit this information to eliminate multiple-access interference (MAI) and to achieve near-far resistance. A major problem in practical application of multiuser detection is the estimation of the signal and channel parameters in a near-far limited system. We consider maximum-likelihood estimation of users delay, amplitude, and phase in a CDMA communication system. We present an approach for decomposing this multiuser estimation problem into a series of single-user problems. In this method the interfering users are treated as colored non-Gaussian noise. The **observation vectors** are preprocessed to be able to apply a Gaussian model for the MAI. The maximum-likelihood estimate (MLE) of each user's parameters based on the processed observation vectors becomes tractable. The estimator includes a whitening filter derived from the sample covariance matrix which is used to suppress the MAI, thus yielding a near-far resistant estimator

Index Terms:

Gaussian processes access protocols amplitude estimation code division

multiple access covariance matrices data communication delays filtering theory interference suppression maximum likelihood detection maximum likelihood estimation phase estimation radiofrequency interference signal sampling spread spectrum communication synchronisation telecommunication channels voice communication CDMA system Gaussian model access protocol amplitude channel parameter estimation code-division multiple-access communication systems colored nonGaussian noise data transmission delay maximum-likelihood estimation maximum-likelihood synchronization modulation waveforms multiple-access interference elimination multiuser detectors multiuser estimation near-far problem near-far resistant estimator phase processed observation vectors sample covariance matrix signal estimation single-user problems spread spectrum signals voice transmission weak signal detection whitening filter

Documents that cite this document

Select link to view other documents in the database that cite this one.

Reference list:

- 1, R. L.Pickholtz, D. L.Schilling, and L. B.Milstein, " Theory of spread-spectrum communications— A tutorial, " *IEEE Trans. Commun.*, vol. COM-30, pp. 904-912, May 1982.
- 2, J.Holmes and C.Chen, " Acquisition time performance of PN spread-spectrum systems, " *IEEE Trans. Commun.*, vol. COM-25, pp. 778-783, Aug. 1977.
- 3, R. B.Ward and K.Yiu, " Acquisition of pseudonoise signals by recursion-aided sequential estimation, " *IEEE Trans. Commun.*, vol. COM-25, pp. 784-794, Aug. 1977.
- 4, T. K.Moon, R. T.Short, and C. K.Rushforth, " Average acquisition time for SSMA channels, " *Proc. IEEE Military Communications Conf.*, vol. 3, pp. 1042-1046, 1991.
 [Abstract] [PDF Full-Text (272KB)]
- 5, S.Verdu, " Minimum probability of error for asynchronous Gaussian multiple-access channels, " *IEEE Trans. Inform. Theory*, vol. IT-32, pp. 85-96, Jan. 1986.
- 6, S.Verdu, "Optimum multiuser asymptotic efficiency," *IEEE Trans. Commun.*, vol. COM-34, pp. 890-897, Sept. 1986.
- 7, R.Lupas and S.Verdu, "Linear multiuser detectors for synchronous code-division multiple-access channels," *IEEE Trans. Inform. Theory*, vol. 34, pp. 123-136, Jan. 1989.
 [Abstract] [PDF Full-Text (1024KB)]
- 8, R.Lupas and S.Verdu, " Near– far resistance of multiuser detectors in asynchronous channels, " *IEEE Trans. Commun.*, vol. 38, pp. 496-508, Apr. 1990.

 [Abstract] [PDF Full-Text (1036KB)]
- 9, H. V.Poor and S.Verdu, " Single-user detectors for multiuser channels, " *IEEE Trans. Commun.*, vol. 36, pp. 50-60, Jan. 1988.

[Abstract] [PDF_Full-Text (836KB)]

- 10, M. K.Varanasi and B.Aazhang, " Multistage detection for asynchronous code-division multiple-access communications, " *IEEE Trans. Commun.*, vol. 38, pp. 509-519, Apr. 1990.
 [Abstract] [PDF Full-Text (952KB)]
- 11, B.Aazhang, B.-P.Paris, and G.Orsak, " Neural networks for multiuser detection in code-division multiple access systems, " *IEEE Trans. Commun.*, vol. 40, pp. 1212-1222, July 1992. [Abstract] [PDF Full-Text (984KB)]
- 12, Z.Xie, R.Short, and C.Rushforth, " A family of suboptimum detectors for coherent multiuser communications, " *IEEE J. Select. Areas Commun.*, vol. 8, pp. 683-690, May 1990.
 [Abstract] [PDF Full-Text (648KB)]
- 13, Z.Xie, C. K.Rushforth, R.Short, and T. K.Moon, " Joint signal detection and parameter estimation in multiuser communications, " *IEEE Trans. Commun.*, vol. 41, pp. 1208-1216, Aug. 1993.
 [Abstract] [PDF Full-Text (656KB)]
- 14, A.Klein and P. W.Baier, " Linear unbiased data estimation in mobile radio systems applying CDMA," *IEEE J. Select. Areas Commun.*, vol. 11, pp. 1058-1066, Sept. 1993.

 [Abstract] [PDF Full-Text (756KB)]
- 15, M.Rupf, F.Tarkoy, and J. L.Massey, " User-separating demodulation for code-division multiple-access systems, " *IEEE J. Select. Areas Commun.*, vol. 12, pp. 786-795, June 1994.
 [Abstract] [PDF Full-Text (884KB)]
- 16, U.Madhow and M. I.Honig, " MMSE detection of CDMA signals, " *Int. Symp. Information Theory* San Antonio, TX, pp. 49, 1993.
 [Abstract] [PDF Full-Text (144KB)]
- 17, N. B.Mandayam and B.Aazhang, " Gradient estimation for sensitivity analysis and adaptive multiuser interference rejection in code division multiple access systems, " *IEEE Trans. Commun.*, submitted for publication.
- 18, S.Verdu, *Optimum multiuser signal detection*, Ph.D. dissertation Urbana-Champaign: Dep. Elect. Comp. Eng., Univ. Illinois, 1984.
- 19, Z.Xie, C. K.Rushforth, and R. T.Short, " A maximum-likelihood estimator of signal power and signal phase for coherent multi-user signal detection, " *IEEE Trans. Commun.*, vol. 36, 1988.
- 20, Y.Steinberg and H. V.Poor, " On sequential delay estimation in wideband digital communication systems, " *Proc. Int. Symp. Information Theory* San Antonio, TX, pp. 423, Jan. 17– 22, 1993.

[Abstract] [PDF Full-Text (124KB)]

- 21, S. Y.Miller and S. C.Schwartz, " Parameter estimation for asynchronous multiuser communication, " *Proc. 1989 Conf. Information Sciences and Systems* Baltimore, MD, pp. 294-299, 1989.
- 22, A.Radovic' and B.Aazhang, " Iterative algorithms for joint data detection and delay estimation for code division multiple access communication systems, " *Proc. 31st Annu. Allerton Conf. Communication, Control, and Computing* Monticello, IL, 1993.
- 23, M. E.Davis and L. B.Milstein, " Improved CDMA performance through multiple access noise rejection, " *Proc. IEEE MILCOM '92* San Diego, CA, vol. 3, pp. 36.2.1-36.2.5, 1992.
 [Abstract] [PDF Full-Text (404KB)]
- 24, S. E.Bensley and B.Aazhang, " Subspace-based channel estimation for code division multiple access communication systems, " *IEEE Trans. Commun.*, vol. 44, pp. 1009-1020, Aug. 1996.
- [Abstract] [PDF Full-Text (948KB)]
- 25, H. L.Van Trees, *Detection, Estimation, and Modulation Theory*, New York: Wiley, 1968.
- 26, D. H.Johnson and D. E.Dudgeon, *Array Signal Processing: Concepts and Techniques* Englewood Cliffs, NJ: Prentice-Hall, 1993.
- 27, R.Ash, Real Analysis and Probability, New York: Academic, 1972.
- 28, G. W.Stewart, *Introduction to Matrix Computations* San Diego, CA: Academic, 1973.
- 29, G. H.Golub, " Numerical methods for solving linear least squares problems, " *Numer. Math.*, no. 7, pp. 206-216, 1965.
- 30, P.Krishnaiah, " Some recent developments on complex multivariate distributions, " *J. Multivariate Anal.*, vol. 6, pp. 1-30, 1976.
- 31, B.Yang, " Subspace tracking based on the projection approach and the recursive least squares method, " *Proc. ICASSP* Minneapolis, MN, vol. IV, pp. 145-148, 1993. [Abstract] [PDF Full-Text (316KB)]

Search Results [PDF FULL-TEXT 276 KB] NEXT DOWNLOAD CITATION

IEEE HOME I SEARCH IEEE I SHOP I WEB ACCOUNT I CONTACT IEEE

♦IEEE

Membership Publica	tions/Services Standards Conferences Careers/Jobs
IEEE >	Welcome United States Patent and Trademark Office Welcome I Million Dogum I Million Users Office
Help FAQ Terms Peer Review	IEEE Quick Links ▼ Search Results
Welcome to IEEE Xplore* - Home - What Can I Access? - Log-out	Your search matched 2 of 1038994 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.
Tables of Contents - Journals & Magazines - Conference Proceedings	Refine This Search: You may refine your search by editing the current search expression or entering a new one in the text box.
O- Standards Search	Search Check to search within this result set
O- By Author O- Basic O- Advanced	Results Key: JNL = Journal or Magazine CNF = Conference STD = Standard
Member Services	
O- Establish IEEE Web Account O- Access the IEEE Member Digital Library	1 Maximum-likelihood synchronization of a single user for code-division multiple-access communication systems Bensley, S.E.; Aazhang, B.; Communications, IEEE Transactions on , Volume: 46 , Issue: 3 , March 1998 Pages: 392 - 399
A Print Format	[Abstract] [PDF Full-Text (276 KB)] IEEE JNL
	2 Root-MUSIC based joint identification and timing estimation of asynchronous CDMA system over Rayleigh fading channel Wei-Chiang Wu; Kwang-Cheng Chen; Vehicular Technology Conference, 1998. VTC 98. 48th IEEE , Volume: 2, 18-21 May 1998 Pages:1239 - 1243 vol.2
	[Abstract] [PDF Full-Text (444 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help | FAQ| Terms | Back to Top